

# AIR BRAKES PARTS

			
<b>Air Dryer Cartridge</b> AT424100202 C/R: RL3511KA C/R: 432 410 020 2	<b>Air Dryer Cartridge AD9</b> C/R: RL3513DA C/R: 107796	<b>Air Dryer w. Unloader</b> AT 4324100200 C/R: RL3511AM C/R: 432 410 202 0	<b>Air Horn - Twin w. Solenoid</b> T.A/HORN
			
<b>Clutch Servo (Powerline)</b> AT730 C/R: RL1608LA C/R: Vg3361	<b>Clutch Servo (Renault)</b> T9700511241 C/R: RL1608PE C/R: 970 051 124 0	<b>Clevis Ass'ys</b> SVS2657 C/R: RL3506AC	<b>Check Valve - Single</b> M22 (F) x M22 (M) CR9 C/R: RL3525DB
			
<b>Air Line Filter</b> T4325000200 C/R: RL3511ZA C/R: 432 500 020 0	<b>Air Tanks</b> AC0207 20L/30L/40L/60L... 20L 8" C/R: RL1608CA C/R: Vg3200	<b>Clutch Servo (MAN)F8</b> TVG3200 C/R: RL1608CA C/R: Vg3200	<b>Clutch Servo (Merc)</b> Twin w. Solenoid T9700511310 C/R: RL1608KA C/R: 970 051 131 0
			
<b>Check Valve - Single</b> 1/2 (m) X 1/2 (F) CR9 C/R: RL3525ZA C/R: KW2366/2	<b>Check Valve - Single</b> M22 (F) CR9 C/R: RL3525AA C/R: 434 014 000 0	<b>Check Valve - (Back Flow)</b> T4341000000 C/R: RL3531BA C/R: 434 100 000 0	<b>Check Valve - Double</b> T4342080990 C/R: 434 208 029 0
			
<b>Clutch Servo (Nissan/Toyota)</b> T9700512600 C/R: RL1608PC C/R: 970 051 126 0	<b>Clutch Servo (JAP) 70mm</b> T642016088 C/R: RL1608AH C/R: 642 016 08	<b>Clutch Servo (JAP) 90mm</b> T64203502 C/R: RL1608BH C/R: 642 035 02	<b>Clutch Servo (Volvo) Fh12</b> CLT0007 C/R: RL160803B C/R: 655 435AM
			
<b>Diaphragms</b> AT-T16/T20/T24/T30 T16, T20, T24, T30	<b>Diff Lock Switch</b> T4630360010 C/R: RL1705CA C/R: AE1111/4	<b>D2 Governor Valve</b> T2575508 C/R: RL3512GA C/R: 275508	<b>Drain Valve Man.</b> 22 mm DL0022 C/R: RL351308 C/R: 934 300 033 0

# AIR BRAKES PARTS
























## AIR BRAKE EQUIPMENT

Exh Brake Button (Short) AT4630131120 C/R: RL3548AF C/R: 463 013 112 0	Exh Brake Button (Long) AT4630131140 C/R: RL3548AG C/R: 463 013 114 0	Flick Switch T229635 C/R: RL3526HA C/R: 277516	F&J Male Coupl. Dust Cover MDP
F&J Striker Op. Plug SP1 C/R: AP11168	4 Circuit Prot. Valv. 5 Prt AT9347023000 C/R: RL3515EA C/R: 934 702 300 0	4 Circuit Prot. Valv 5 Prt AT4158 C/R: RL3515LF C/R: Ae4158	4 Circuit Prot. Valv 7 Prt AT9347022100 C/R: RL3515DA C/R: 934 702 210 0
Fuel Shut-off Cyl 8mm T1116 C/R: SZ1159 C/R: 471 005 020 0	F&J 1/2" Male Coupling MC1 C/R: 052 000 001 4	F&J 1/2" Female Coupling FC1 C/R: 052 001 002 2	F7J Shut-off Valve Shrt stem FW020 C/R: 052 001 003 2
4 Circuit Prot. Valv 7 Prt AT4170 C/R: RL3515CA C/R: Ae4162	Foot Valve Square Type T4613150080 C/R: RL3514DS C/R: 431 315 008 0	Foot Valve with single Port T4613190080 C/R: RL3514DD C/R: 461 319 008 0	Foot Valve E6 w/o Pedal T286171 C/R: RL3514GD C/R: 286171
4 Circuit Prot. Valv 7 Prt AT4170 C/R: RL3515CA C/R: Ae4162	Foot Valve Square Type T4613150080 C/R: RL3514DS C/R: 431 315 008 0	Foot Valve with single Port T4613190080 C/R: RL3514DD C/R: 461 319 008 0	Foot Valve E6 w/o Pedal T286171 C/R: RL3514GD C/R: 286171
Fuel Shut-off Cyl 8mm T1116 C/R: SZ1159 C/R: 471 005 020 0	F&J 1/2" Male Coupling MC1 C/R: 052 000 001 4	F&J 1/2" Female Coupling FC1 C/R: 052 001 002 2	F7J Shut-off Valve Shrt stem FW020 C/R: 052 001 003 2

## AIR BRAKE EQUIPMENT

			
<b>Gearbox Valve 4/2 Way ZF</b> T3368 C/R: RL705BA C/R: 571 003 104 0	<b>Gearbox Regulator</b> A4740 C/R: A4740	<b>Gearbox Valve 2 Pin ZF</b> T3368 C/R: RL705ZA C/R: SV3368	<b>Gear Splitter Valve</b> T3367 C/R: A3546
			
<b>Low Pressure Switch</b> T7282/20 C/R: 295473	<b>Linkage Kit - Single</b> C/R: RL	<b>Linkage Kit - Tandem</b> C/R: RL	<b>Load Sensing Relay Valve</b> A14757/100360 C/R: RL35234F C/R: 475 710 036 0
			
<b>Governor Valve - JAP</b> T2575508 C/R: RL3531EA C/R: M6802149	<b>Hand Control</b> T967722520 C/R: RL35260K C/R: 961 722 252 0	<b>H/Control 3 Prt Rot. Lever</b> T961722232 C/R: RL35389A C/R: HB 1136	<b>H/Control 2 Prt Bottom</b> T9617234050 C/R: RL35368B C/R: 961 723 405 0
			
<b>Levelling Valve</b> SV1395 C/R: RL2908AA C/R: 464 006 002 0	<b>Nylon Tubing</b> M4NYL/M6NYL M8NYL/M10NYL/M12NYL All Colours 4mm to 12mm	<b>Op. Cylinder with QRV</b> T4220100120 C/R: RL3536GA C/R: 422 010 012 0	<b>Op. Cylinder w/o QRV</b> T4220100100 C/R: RL3535FA C/R: 422 010 010 0
			
<b>Hand Control 3 Port</b> T1179 C/R: RL3526EK C/R: HB 1179	<b>H/Control 3 Prt Side M16</b> T9617231040 C/R: RL3526NB C/R: 961 723 104 0	<b>H/Control 3 Prt Rot. Lev</b> T9617020140 C/R: RL3526PB C/R: 961 702 014 0	<b>Hose Clamps 1/2" 1/2" HC</b> C/R: A5370
			
<b>Palm Coupling - Red</b> TSE BM No: 05 PC 001	<b>Palm Coupling - Yellow</b> TSE BM No: 05 PC 002	<b>Plastic Quick Couplers</b> LC4P/LC5P/LC6P/ LC10P/L12P Full range of Couplers, Tee's, & Line connectors & SIZES	<b>Quick Ref. Valve</b> 1/2 x 3/8 x 3/8 A79735000140 C/R: RL35163A

## AIR BRAKE EQUIPMENT

			
Quick Rel. Valve 22mm QRV22M C/R: RL3516ED C/R: 973 500 000 0	Relay Valve Sq. M22 AT9730010100 C/R: RL3518AH C/R: 973 001 010 0	Relay Valve Sq. M16 T9730010200A C/R: RL3518AK C/R: 973 001 020 0	Relay Valve 1054 1054 C/R: RL3518NB C/R: 471 005 020 0
			
Spring Brake 16/24 AT 9254540010 C/R: RL3530RA C/R: 925 454 001 0	Springbrake D.D. 30/30 AT 30/3000 C/R: RL3530BA C/R: 300 100 55-2	Springbrake D.D. 24/30 AT 24/3000 C/R: RL3530EA20 C/R: 24/30	Springbrake T30 Maxi AT T30 C/R: RL3530MA C/R: 4-STUD
			
R6 Relay Valve AT280375 C/R: RL3518EA C/R: 280 375	RE6 Relay Valve AT 281672 C/R: RL3527AB C/R: 281 672	1/2" Rubber Hose 1/2" RH	Suzi - Red/Yellow (SABS) AT RED AT YELLOW TSE BM No: 05SH004 VEL
			
Trailer Control w. Dump AT 9730025210 C/R: RL3522BH C/R: 973 002 521 0	Trailer Control w. Dump T6601 C/R: RL3522AH C/R: 973 002 402 0	Trailer Control w. Dump M22 T 9730090010 C/R: RL3522FB-A C/R: 973 009 001 0	Trailer Control w. Dump M16 T 9730090010 M16 C/R: RL3522FC C/R: 973 009 SERIES
			
Shut-Off Cock AT 45200210700 C/R: RL3520AA C/R: 452 002 107 0	Safety Valve 1/4" T4340140000 C/R: RL3522AA C/R: 434 014 000 0	Stop Light Switch T262625 C/R: RL C/R: 262625	Type 24 Brake Chamber AT T24 C/R: RL3519AA1
			
Test Point T3506AC C/R: RL3506AC	Unloader Steel Top 2 Pt U7402A C/R: RL3512AB C/R: 975 300 1100	Unloader 2 Pt Plus top RL 3512BG C/R: RL3512BG C/R: 975 303 473 0	Unloader 4 Pt Plus top RL 3512BH C/R: RL3512BH C/R: 975 303 474 0


## AIR BRAKE EQUIPMENT

 <p><b>BANJO BOLTS</b> M16 X 8 M14 X 12 M16 X 6 AC 0140 AC 0480</p>	 <p><b>BULKHEAD-BRASS</b> Metric 12 x 1/2 BSP M22 X 12 BSP M22 X M22 T 8938212240</p>	 <p><b>BULKHEAD-STEEL</b></p>
 <p><b>BANJO BOLTS</b> M16 X 8 M14 X 12 M16 X 6 AC 0140 AC 0480</p>	 <p><b>BULKHEAD-BRASS</b> Metric 12 x 1/2 BSP M22 X 12 BSP M22 X M22 T 8938212240</p>	 <p><b>BULKHEAD-STEEL</b></p>
 <p><b>CABLE TIES</b> Length 140mm T18R 200mm C.T.4150 395mm C.T.5390 ALD439</p>	 <p><b>ELBOWS</b> Metric Imperial M16 x 12 1/4 x 12 M22 x 8 3/8 x 12 M22 x 10 1/2 x 12 M22 x 12 1/2 x 15 M22 x 15 T1612</p>	 <p><b>ELBOWS - STEEL</b> ELB 1/4-12 ELB ELB1412 ELB1612B</p>
 <p><b>CABLE TIES</b> Length 140mm T18R 200mm C.T.4150 395mm C.T.5390 ALD439</p>	 <p><b>ELBOWS</b> Metric Imperial M16 x 12 1/4 x 12 M22 x 8 3/8 x 12 M22 x 10 1/2 x 12 M22 x 12 1/2 x 15 M22 x 15 T1612</p>	 <p><b>ELBOWS - STEEL</b> ELB 1/4-12 ELB ELB1412 ELB1612B</p>
 <p><b>FERRULES</b> Metric 06L 1/4 08L 3/8 10L 1/2 12L 15L 16L F062/F08L</p>	 <p><b>HEX NIPPLE</b> Metric Imperial M22 x M22 1/4 x 12 M22 x 1/2 1/2 x 1/2 N2222 N121212</p>	
 <p><b>INSERTS</b> Metric Imperial 06L 1/4 08L 3/8 10L 1/2 12L 15L 16L M15 INS M16 INS M18 INS M10 INS</p>	 <p><b>MANUAL DRAIN VALVE</b> 22mm 1/4" Manual Tilt Type DL00200</p>	

## TANDEM AXLE SEMI TRAILER



**Air Dryer Cartridge**  
 QR: RLS511KA  
 QR: 432 410 030 2




TANDEM AXLE SEMI TRAILER BRAKE SYSTEM S.A.B.S. 1506 SPECIFICATION  
 RELAY LOAD SENSING VALVE FOR MECHANICAL SUSPENSION

4 X SPRING BRAKES

TITLE  
 TANDEM AXLE  
 SEMI TRAILER 4S/2M ABS  
 MECH SUSPENSION

## TRIDEM AXLE SEMI TRAILER




TANDEM AXLE SEMI TRAILER BRAKE SYSTEM S.A.B.S. 1506 SPECIFICATION  
 RELAY LOAD SENSING VALVE FOR MECHANICAL SUSPENSION

6 X SPRING BRAKES

TITLE  
 TRIDEM AXLE  
 SEMI TRAILER 4S/2M ABS  
 MECH SUSPENSION


## TANDEM AXLE SEMI TRAILER - ABS AIR SUSP.



TANDEM AXLE SEMI TRAILER BRAKE SYSTEM S.A.B.S. 1506 SPECIFICATION  
 NEW GENERATION ABS LOAD SENSING VALVE FOR AIR SUSPENSION  
 NOT A RELAY LOAD SENSING VALVE  
 4 X SPRING BRAKES

TITLE  
 TANDEM AXLE  
 SEMI TRAILER 4S/2M ABS  
 MECH SUSPENSION

## TRIDEM AXLE SEMI TRAILER - ABS AIR SUSP.



TRIDEM AXLE SEMI TRAILER BRAKE SYSTEM S.A.B.S. 1506 SPECIFICATION  
 NEW GENERATION ABS LOAD SENSING VALVE FOR AIR SUSPENSION  
 NOT A RELAY LOAD SENSING VALVE  
 6 X SPRING BRAKES OR 4 X SPRING AND  
 2 X BOOSTERS ON STEERING AXLE

TITLE  
 TRIDEM AXLE  
 SEMI TRAILER 4S/2M ABS  
 MECH SUSPENSION